
IPTVTools

Release 0.2.11

Aug 28, 2023

Contents

1	Installation	1
2	Scripts	3
2.1	iptv-filter	3
3	Selected Parameters	5
3.1	GROUP_EXCLUDE	5
3.2	GROUP_INCLUDE	5
3.3	CHANNEL_EXCLUDE	5
3.4	CHANNEL_INCLUDE	5
3.5	MIN_HEIGHT	6
3.6	CONFIG	6
3.7	SORT_KEYS	6
3.8	TEMPLATES	6
3.9	TIMEOUT	6
3.10	UDPROXY	6
3.11	SKIP_CONNECTIVITY_CHECK	7
4	Indices and tables	9

CHAPTER 1

Installation

The simplest way to install is downloading from PyPI:

```
$ pip install -U iptvtools
```

If you prefer the latest master branch or want to make some code changes, you can download and install with the following command:

```
$ git clone https://github.com/huxuan/iptvtools.git
$ cd iptvtools
$ pip install .
```


2.1 iptv-filter

2.1.1 Usage

```
usage: iptv-filter [-h] [--channel-exclude CHANNEL_EXCLUDE]
                  [--channel-include CHANNEL_INCLUDE]
                  [--group-exclude GROUP_EXCLUDE]
                  [--group-include GROUP_INCLUDE] [--min-height MIN_HEIGHT]
                  [-c CONFIG] [-i [INPUTS [INPUTS ...]]] [-I INTERVAL]
                  [-L LOG_LEVEL] [-n] [-o OUTPUT] [-r] [-R]
                  [-s [SORT_KEYS [SORT_KEYS ...]]]
                  [-t [TEMPLATES [TEMPLATES ...]]] [-T TIMEOUT] [-u UDPXY]
                  [-v]

optional arguments:
  -h, --help                show this help message and exit
  --channel-exclude CHANNEL_EXCLUDE
                           Channels to exclude with regex. Note: Blacklist has
                           higher priority than whitelist. (default: None)
  --channel-include CHANNEL_INCLUDE
                           Channels to include with regex. Note: Only channels in
                           the whitelist will be included if set. (default: None)
  --group-exclude GROUP_EXCLUDE
                           Groups to exclude with regex. Note: Blacklist has
                           higher priority than whitelist. (default: None)
  --group-include GROUP_INCLUDE
                           Groups to include with regex. Note: Only groups in the
                           whitelist will be included if set. (default: None)
  --min-height MIN_HEIGHT
                           Minimum height/resolution to accept, 0 means no
                           resolution filtering. (default: 0)
  -c CONFIG, --config CONFIG
```

(continues on next page)

(continued from previous page)

```

Configuration file to unify title and id. (default:
config.json)
-i [INPUTS [INPUTS ...]], --inputs [INPUTS [INPUTS ...]]
One or more input m3u playlist files/urls. (default:
['https://iptv-org.github.io/iptv/index.m3u'])
-I INTERVAL, --interval INTERVAL
Interval in seconds between successive fetching
requests. (default: 1)
-L LOG_LEVEL, --log-level LOG_LEVEL
Log level. (default: INFO)
-n, --skip-connectivity-check
Skip connectivity check. (default: False)
-o OUTPUT, --output OUTPUT
Output file name. (default: iptvtools.m3u)
-r, --replace-group-by-source
Flag to replace the group title with the source name,
where the source name is the basename of input
files/urls without extension. (default: False)
-R, --resolution-on-title
Flag to append resolution such as 8K, 4K, 1080p, 720p
to the title. (default: False)
-s [SORT_KEYS [SORT_KEYS ...]], --sort-keys [SORT_KEYS [SORT_KEYS ...]]
List of keys to sort the channels. Valid options
currently supported are `group-title`, `tvlg-id`,
`template-order`, `height` and `title`. (default:
['group-title', 'tvlg-id', 'height', 'title'])
-t [TEMPLATES [TEMPLATES ...]], --templates [TEMPLATES [TEMPLATES ...]]
Template m3u files/urls with well-maintained channel
information to replace the matched entries. (default:
[])
-T TIMEOUT, --timeout TIMEOUT
Timeout threshold for fetching request. (default: 10)
-u UDPXY, --udpxy UDPXY
UDP Proxy for certain IPTV channels. (default: None)
-v, --version
show program's version number and exit

```

2.1.2 Example

There is a [well-maintained IPTV list](#) only for Beijing Unicom and a [well-maintained templates & EPG](#) mainly for China. So for me:

```

$ iptv-filter \
-i https://gist.githubusercontent.com/sdhdzmzzl/93cf74947770066743fff7c7f4fc5820/raw/
↪11107d2dcfe2f5785e7ada94bb44c0cd349191c5/bj-unicom-iptv.m3u \
-t http://epg.51zmt.top:8000/test.m3u

```

With UDPXY, it becomes:

```

$ iptv-filter \
-i https://gist.githubusercontent.com/sdhdzmzzl/93cf74947770066743fff7c7f4fc5820/raw/
↪11107d2dcfe2f5785e7ada94bb44c0cd349191c5/bj-unicom-iptv.m3u \
-t http://epg.51zmt.top:8000/test.m3u \
-u http://192.168.0.1:8888

```

Just replace `http://192.168.0.1:8888` with corresponding UDPXY prefix should be OK.

Selected Parameters

Here is some further explanation for those not so obvious parameters.

3.1 GROUP_EXCLUDE

Filter the playlist depends on the group title with a blacklist (regular expression). Note that, it has higher priority than the whitelist `GROUP_INCLUDE`.

3.2 GROUP_INCLUDE

Filter the playlist depends on the group title with a whitelist (regular expression). Note that, if set, only groups match the pattern will be included.

3.3 CHANNEL_EXCLUDE

Filter the playlist depends on the channel title by a blacklist (regular expression). Note that, it has higher priority than the whitelist `CHANNEL_INCLUDE`.

3.4 CHANNEL_INCLUDE

Filter the playlist depends on the channel title by a whitelist (regular expression). Note that, if set, only channels match the pattern will be included.

3.5 MIN_HEIGHT

HEIGHT is a dominant factor of stream quality, where 1080 in height means 1080p. It is necessary to set this filter if the stream is supposed to be shown on high resolution screens, e.g., a 4K TV.

3.6 CONFIG

CONFIG is a customized configuration to unify `title` and `id`. `title` is the exact title which will be shown and the `id` is used for potential match with the template. A general idea is to make the `id` as simple as possible so they will have a high possibility to match, though there might be some false positive cases. So, `id_unifiers` can be treated as a further simplification of `title_unifier`.

For example, entry `"-": ""` will convert `CCTV-1` to `CCTV1`, entry `"": "+"` will convert `CCTV-5` to `CCTV-5+`. A whole replacement is also possible, as `"BTV": ""` will match the whole of `BTV` and replace it with `.`

Please be caution about using too many of them since this simplified strategy is just for some basic requirement. Some entries may lead to some unexpected changes. For example, entry `"CCTV-1": "1"` will convert `CCTV-11` to `11`. So, in generally, only keep those necessary entries and keep it as simple as possible.

3.7 SORT_KEYS

List of keys to sort the channels. Valid options currently supported are *tv-g-id*, *height* and *title*. By default, it will work the same as `-s tv-g-id resolution title`, and you can change the order as you want. If you want to have more keys to be supported, just let me know.

3.8 TEMPLATES

A m3u playlist with well-maintained information to cooperate with EPG. Please refer to [Well-maintained templates & EPGs](#).

BTW, there is also a list [Well-maintained playlists](#).

3.9 TIMEOUT

TIMEOUT is used to check the connectivity. Direct check which only fetch the response header tends to be fast. But it usually takes seconds to probe stream information depends on your network (bandwidth and latency). For me, it is about 3 to 5 seconds.

3.10 UDPXY

If the IPTV streams is forwarded by UDPXY, setting it will convert all the urls automatically. For examples, with UDPXY `http://192.168.0.1:8888/`, `rtp://123.45.67.89:1234` will be converted to `http://192.168.0.1:8888/rtp/123.45.67.89:1234`.

3.11 SKIP_CONNECTIVITY_CHECK

Skip any connectivity check (to be used to just apply title and id unifiers) use in combination with *-I 0*

CHAPTER 4

Indices and tables

- `genindex`
- `modindex`
- `search`